

BRAKE DISC HAVING AIR CIRCULATING FAN BLADES

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to a brake disc for cycle brake
5 systems, and more particularly to a brake disc for cycle brake
systems having one or more air circulating fan blades formed or
provided therein for air circulating purposes for the brake discs.

2. Description of the Prior Art

Various kinds of typical disc brake devices or systems have
10 been developed and provided for braking cycles, and comprise a
brake disc having an outer peripheral portion to be arranged and
disposed between two brake shoes which may be forced against the
outer peripheral portion of the brake disc for conducting the braking
operations.

15 For decreasing the weights of the brake discs, a number of
spokes are formed and provided between the outer peripheral
portion of the brake disc and a hub portion of the brake disc, in
order to form or define a number of openings within the brake disc.

For example, U.S. Patent No. 6,206,144 to Di Bella, and U.S.
20 Patent No. 6,230,849 to Lumpkin disclose two of the typical disc
brake devices each including a number of spokes formed between
the outer peripheral portion and the hub portion of the brake disc,
for decreasing the weights of the brake discs.

However, the spokes are normally formed or punched from a
25 planar member, such that the spokes are normally parallel to the
brake discs, particularly parallel to the outer peripheral portion
and/or the hub portion of the brake disc, such that the spokes may

not be used for paddling air or may not be used for air circulating or ventilating purposes.

The typical disc brake devices or systems fail to provide one or more air circulating fan blades formed or provided within the brake
5 discs for air circulating purposes.

The present invention has arisen to mitigate and/or obviate the afore-described disadvantages of the conventional brake discs for cycle brake systems.

SUMMARY OF THE INVENTION

10 The primary objective of the present invention is to provide a brake disc for cycle brake systems including one or more air circulating fan blades formed or provided therein for air circulating purposes and for decreasing the temperature of the brake discs while conducting the braking operations.

15 In accordance with one aspect of the invention, there is provided a brake disc for cycle brake systems, the brake disc comprising an outer peripheral portion, a hub portion, and an air circulating device provided on the brake disc, and inclined relative to the brake disc, to propel and circulate air around the brake disc
20 when the brake disc is rotated.

The air circulating device includes a number of spokes secured between the outer peripheral portion and the hub portion of the brake disc, and inclined relative to the brake disc, to propel and circulate air around the brake disc when the brake disc is rotated.
25 For example, the spokes may be formed integral with the brake disc.

The air circulating device includes a number of fan blades secured between the outer peripheral portion and the hub portion of

the brake disc. For example, a number of spokes are secured between the outer peripheral portion and the hub portion of the brake disc, and the fan blades are secured to the spokes. A number of pads may be disposed between the fan blades and the spokes, to
5 inclinedly secured the fan blades to the brake disc.

Further objectives and advantages of the present invention will become apparent from a careful reading of the detailed description provided hereinbelow, with appropriate reference to the accompanying drawings.

10 **BRIEF DESCRIPTION OF THE DRAWINGS**

FIG. 1 is a perspective view illustrating an attachment of a brake disc for cycle brake systems in accordance with the present invention to a cycle frame;

FIG. 2 is a perspective view of the brake disc for cycle brake
15 systems;

FIG. 3 is a perspective view similar to FIG. 2, illustrating the other arrangement of the brake disc;

FIG. 4 is a partial plan schematic view of the brake disc for cycle brake systems; and

20 FIG. 5 is a partial cross sectional view taken along lines 5-5 of FIG. 4, illustrating the operation of the brake disc for cycle brake systems.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring to the drawings, and initially to FIGS. 1-2, a brake
25 disc 10 for cycle brake systems in accordance with the present invention comprises a hub portion 11 provided for rotatably attaching to a fork or a cycle frame 70, and comprises an outer

peripheral portion 12 to be arranged and disposed between two brake shoes (not shown) of a brake device 80 which may be forced against the outer peripheral portion 12 of the brake disc 10 for conducting the braking operations.

5 For increasing the air ventilating effect of the brake disc, a number of holes or orifices 13 are provided and formed within the outer peripheral portion 12 of the brake disc 10, and formed through the brake disc 10, for allowing air to circulate or to flow through the brake disc 10.

10 The brake disc 10 further includes one or more spokes 30 formed or provided between the hub portion 11 and the outer peripheral portion 12 thereof, for supporting the hub portion 11 and the outer peripheral portion 12 thereof together. The above-described structure for the brake disc 10 is typical and will
15 not be described in further details.

Referring next to FIGS. 2-5, one or more of the spokes 30 of the brake disc 10 are arranged or secured or formed to be inclined relative to the brake disc 10, and may be inclined relative to the brake disc 10 for different angular positions to form as an air
20 circulating device 3, in order to generate air or to propel the air and for air circulating purposes and for decreasing the temperature of the brake discs while conducting the braking operations.

As shown in FIGS. 2 and 3, one or more of the spokes 30 of the brake disc 10 may be formed or secured to the brake disc 10 by
25 such as molding processes, forging processes, or the like. For example, as shown in FIG. 3, all of the spokes 30 of the brake disc 10 may be formed integral with the brake disc 10, and arranged to

be inclined relative to the brake disc 10.

As shown in FIG. 2, the air circulating device 3 may further include one or more fan blades 31 directly secured to the brake disc 10, or formed separately and then secured onto the spokes 30 with
5 such as fasteners 33, latches, or the like, and also arranged to be inclined relative to the brake disc 10.

For example, one or more pads 34 may further be provided and engaged or secured between the spokes 30 and the fan blades 31 respectively, to inclinedly support or secure the fan blades 31 to the
10 spokes 30 or directly to the brake disc 10 respectively.

In operation, when the brake disc 10 is rotated relative to the cycle frame 70, the inclination of the spokes 30 and/or the fan blades 31 of the air circulating device 3 relative to the brake disc 10 allows the inclined spokes 30 and/or the fan blades 31 to propel the
15 air around the brake disc 10, and to circulate the air, and to cool the brake disc which may normally include an increased temperature while conducting the braking operations.

Accordingly, the brake disc for cycle brake systems includes one or more air circulating fan blades formed or provided therein
20 for air circulating purposes and for decreasing the temperature of the brake discs while conducting the braking operations.

Although this invention has been described with a certain degree of particularity, it is to be understood that the present disclosure has been made by way of example only and that
25 numerous changes in the detailed construction and the combination and arrangement of parts may be resorted to without departing from the spirit and scope of the invention as hereinafter claimed.